

according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

1 Identification

- · Product identifier
- Trade name: Sterno Ethanol Gel/Sterno Green/Sterno Canned Heat
- · Product code: No other identifiers
- · Recommended use and restriction on use
- Recommended use: Food Warming Chafing Dish Fuel
- Restrictions on use: No relevant information available.
- \cdot Details of the supplier of the Safety Data Sheet

 Manufacturer/Supplier: SCL / Sterno 6900 North Dallas Parkway, Suite 870 Plano, TX 75024 Phone: (951) 682-9600

- Emergency telephone number:
- ChemTel Inc. +1 (800)255-3924, +1 (813)248-0585

2 Hazard(s) i	dentification	
	on of the substance or mixture	
•	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.	
Label eleme GHS label ele The product is Hazard pictor	ements classified and labeled according to the Globally Harmonized System (GHS).	
GHS02 GHS0	7	
· Signal word:	Danger	
· Hazard stater	nents:	
H225	Highly flammable liquid and vapor.	
H319	Causes serious eye irritation.	
· Precautionary statements:		
P210 P241	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment.	


(Cont'd. on page 2)



according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023



3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Compoi	nents:			
64-17-5	ethanol	Flam. Liq. 2, H225 Eye Irrit. 2A, H319	>50%	
75-65-0	tert-Butyl alcohol	Flam. Liq. 2, H225 Eye Irrit. H320	<1%	
 Non-hazardous Components: Bitrex (denatonium benzoate) - CAS# 3734-33-6 <1% Additional information: For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. 				

(Cont'd. on page 3)



Page: 3/12

according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

Trade name: Sterno Ethanol Gel/Sterno Green/Sterno Canned Heat For the wording of the listed Hazard Statements refer to section 16. **4** First-aid measures Description of first aid measures · General information: Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eve contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Headache Dizziness Thirst Blindness Nausea Acidosis Disorientation Unconsciousness · Danger: Danger of convulsion. Danger of circulatory collapse. Danger of impaired breathing. Harmful if swallowed, in contact with skin or if inhaled. · Indication of any immediate medical attention and special treatment needed: Contains methanol / methyl alcohol. Consult literature for specific antidotes. May produce a narcotic effect. Medical supervision for at least 48 hours. Monitor circulation, possible shock treatment. 5 Fire-fighting measures

_

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Cont'd. on page 4)



according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

Trade name: Sterno Ethanol Gel/Sterno Green/Sterno Canned Heat

· Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information:

Eliminate all ignition sources if safe to do so. Cool endangered receptacles with water spray. Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures: Use respiratory protective device against the effects of fumes/dust/aerosol. Keep away from ignition sources.
 Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Pick up mechanically.

Dispose contaminated material as waste according to item 13.

• **Reference to other sections:** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Store in cool, dry place in tightly closed receptacles. Use only in well ventilated areas.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect from heat.
 Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Keep containers tightly sealed.
- **Specific end use(s):** No relevant information available.

(Cont'd. on page 5)



Safety Data Sheet according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

Trade name: Sterno Ethanol Gel/Sterno Green/Sterno Canned Heat

Control parar	neters	
Components w	vith limit values that require monitoring at the workplace:	
64-17-5 ethano	1	
PEL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm	
REL (USA)	Long-term value: 1900 mg/m ³ , 1000 ppm	
TLV (USA)	Short-term value: 1880 mg/m ³ , 1000 ppm	
EL (Canada)	Short-term value: 1000 ppm	
EV (Canada)	Long-term value: 1.900 mg/m ³ , 1.000 ppm	
LMPE (Mexico)	Long-term value: 1000 ppm A3	
67-56-1 methar	nol	
PEL (USA)	Long-term value: 260 mg/m ³ , 200 ppm	
REL (USA)	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin	
TLV (USA)	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI	
EL (Canada)	Short-term value: 250 ppm Long-term value: 200 ppm Skin	
EV (Canada)	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
LMPE (Mexico)	Short-term value: 250 ppm Long-term value: 200 ppm PIEL, IBE	
Ingredients wit	h biological limit values:	
67-56-1 methan	nol	
Tim	ng/L lium: urine e: end of shift ameter: Methanol (background, nonspecific)	
General protect The usual preca Do not inhale ga Avoid contact w Immediately ren Keep away from	ntrols ctive equipment: stive and hygienic measures: autionary measures for handling chemicals should be followed. ases / fumes / aerosols. ith the eyes and skin. nove all soiled and contaminated clothing. n foodstuffs, beverages and feed. fore breaks and at the end of work.	



according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

Trade name: Sterno Ethanol Gel/Sterno Green/Sterno Canned Heat · Engineering controls: No relevant information available. · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Eye protection: Safety glasses · Body protection: Protection may be required for spills. Not required under normal conditions of use. · Limitation and supervision of exposure into the environment No relevant information available. · Risk management measures See Section 7 for additional information. No relevant information available.

Physical and chemical prope	
 Information on basic physical a 	and chemical properties
· Appearance:	
Form:	Highly viscous
Color:	Pink or Green
· Odor:	Alcohol-like
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	8.0 ± 0.5
· Melting point/Melting range:	Not determined.
 Boiling point/Boiling range: 	76 °C (169 °F)
· Flash point:	27°C (80.6 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits	
Lower:	3.5 Vol %



according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

Trade name: Sterno Ethanol Gel/Sterno Green/Sterno Canned Heat

Upper:	15.0 Vol %	
· Vapor pressure at 20 °C (68 °F):	59 hPa (44 mm Hg)	
· Density at 20 °C (68 °F):	0.8 g/cm ³ (6.676 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not applicable.	
Evaporation rate:	Not applicable.	
· Solubility in / Miscibility with		
Water:	Soluble.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions:
- Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.
- Used empty containers may contain product gases which form explosive mixtures with air.
- Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.
- Develops readily flammable gases / fumes.
- Develops toxic gases / fumes.
- Toxic fumes may be released if heated above the decomposition point.
- Conditions to avoid:
- Keep ignition sources away Do not smoke.
- Store away from oxidizing agents.
- Keep away from heat and direct sunlight.
- · Incompatible materials: No relevant information available.
- Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

64-17-5 ethanol

Oral LD50 7060 mg/kg (rat)

(Cont'd. on page 8)



according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

Inhalative LC50/4 h 20000 mg/l (rat) 67-56-1 methanol Oral LD50 5628 mg/kg (rat)	
67-56-1 methanol	
Oral LD50 5628 mg/kg (rat)	
Dermal LD50 15800 mg/kg (rabbit)	
· Primary irritant effect:	
• On the skin: No irritant effect.	
• On the eye: Irritating effect.	
 Sensitization: No sensitizing effects known. Subacute to chronic toxicity: May cause damage to the c 	pontral nonvous system and ontio nonvo
	entral hervous system and optic herve.
· Carcinogenic categories	
· IARC (International Agency for Research on Cancer):	
64-17-5 ethanol	
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration	<u></u>
None of the ingredients are listed.	<u>·</u>
· Probable route(s) of exposure:	
Ingestion.	
Inhalation.	
Eye contact.	
Skin contact.	
• Acute effects (acute toxicity, irritation and corrosivity):	
Irritating to eyes.	
Harmful if swallowed, in contact with skin or if inhaled.	
 Repeated dose toxicity: May cause damage to organs through prolonged or repeated 	
Possible risk of irreversible effects.	a exposure.
Repeated exposure may cause skin dryness or cracking.	
CMR effects (carcinogenity, mutagenicity and toxicity fe	or reproduction)
• Germ cell mutagenicity: Based on available data, the clas	
Carcinogenicity: Based on available data, the classification	
· Reproductive toxicity: Based on available data, the classi	
• STOT-single exposure: May cause damage to the central	nervous system and optic nerve.
· STOT-repeated exposure: Based on available data, the cla	
· Aspiration hazard: Based on available data, the classificat	tion criteria are not met.

- · Toxicity
- Aquatic toxicity No relevant information available.
- · Persistence and degradability Biodegradable.
- · Bioaccumulative potential: Does not accumulate in organisms
- Mobility in soil: No relevant information available.

(Cont'd. on page 9)





according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

Trade name: Sterno Ethanol Gel/Sterno Green/Sterno Canned Heat

· Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

This statement was deduced from the properties of the single components.

Due to available data on eliminability/decomposition and bioaccumulation potential, a prolonged damage of the environment is unlikely.

· Other adverse effects: No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN1987
· UN proper shipping name	
Limited Quantity for packages (0.3 gal).	s less than 30 kg (66 lb) and inner packagings less than 1 L
· DOT	Alcohols, n.o.s. (Ethanol)
· ADR · IMDG, IATA	1987 ALCOHOLS, N.O.S. (ETHANOL) ALCOHOLS, N.O.S. (ETHANOL)
· Transport hazard class(es)	
· DOT	
· Class	3 Flammable liquids
	(Cont'd. on page 10



according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and Globally Harmonized System (GHS) Revision:

Revision: June 26, 2023

nmable liquids
le liquids
lammable liquids
ble.
slation specific for the substance of
g quantity in pounds):
-



according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

Trade name: Sterno Ethanol Gel/Sterno Green/Sterno Canned Heat

· TSCA	(Toxic Substances Control Act)	
	· · · · · · · · · · · · · · · · · · ·	

- All ingredients are listed.
- · Proposition 65 (California)
- · Chemicals known to cause cancer:
- 64-17-5 ethanol

· Chemicals known to cause reproductive toxicity: Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 ethanol

Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 05/02/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit BEI: Biological Exposure Limit** Flam. Liq. 2: Flammable liquids, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

(Cont'd. on page 12)





according to OSHA HCS (29 CFR 1910.1200), WHMIS 2015 Regulations and

Globally Harmonized System (GHS)

Revision: June 26, 2023

Trade name: Sterno Ethanol Gel/Sterno Green/Sterno Canned Heat

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B STOT SE 1: Specific target organ toxicity - Single exposure, Hazard Category 1 STOT SE 2: Specific target organ toxicity - Single exposure, Hazard Category 2 • **Sources** Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers